



伊士班尼亚

换热器 & 冷凝机组

产品范围

蒸发器
表面冷却器
冷凝器
气体冷却器
干式冷却器
冷凝机组
一体机



2023



Menu

HFC/HFO Evaporators	3
NH ₃ & CO ₂ Evaporators	6
HFC/HFO Condensers & Gas coolers	8
HFC/HFO Condenser units & Monoblocks	9
Customized coils	11

WELCOME TO HISPANIA

Taizhou Hispania Refrigeration Equipment Co.,LTD.is a Chi-na-Chile joint venture, manufacturing high quality Commercial and Industrial Unit air cooler, Condensers and Condensing units, supplying products which confirm with European quality standard branded Hispania.

In order to meet every changing market requirements and developments, we made series tests in our own test room, to guarantee flexible work and suitable for extreme conditions. We have a comprehensive international sales network offering prompt technical and commercial assistance and an optimal quality-price ratio. We have a number of international recognized certificates including ISO9001, CE, RoHS, PED.

For appreciating your trust and support to our products, we will keep the good reputation as we had established well for past 10 years to continue to create an abundant profit for you.

目录

HFC/HFO 蒸发器	3
NH ₃ & CO ₂ 蒸发器	6
HFC/HFO 冷凝器&气冷器	8
HFC/HFO 冷凝机组&一体机	9
定制内芯	11


欢迎来到伊士班尼亚

泰州伊士班尼亚制冷设备有限公司是一家中国和智利合资企业，严格按照欧洲设计及质量控制，生产高质量的商用和工业用冷风机、冷凝器和冷凝机组。为了满足不断变化的市场需求和发展，我们建立了产品测试中心，以保证灵活运行和适应极端使用工况。我们已获得ISO9001质量管理体系认证和欧盟CE、RoHS认证。感谢您对公司产品的信任和支持，我们将继续坚持信誉至上，为客户创造利益。

R404A Capacity
R449A 制冷量



Air flow
风量



Fan diameter
风机直径



Fin pitch
片距



R404A

50 Hz

0.78 ~ 127.55 kW

R449A

0.79 ~ 133.16 kW



777 ~ 60065 m³/h



250-300-350-400-450-500-550-630-800 mm



4-6-9 mm

HEA

HFCs: R404A, R507A, R134a...
HFC/HFO: R448A, R449A, R452A, R513A...
HFO/HFC (A2L): 即将推出。
乙二醇: 可选。



R404A

50 Hz

3.25 ~ 104.45 kW

R449A

3.06 ~ 109.27 kW



6424 ~ 60993 m³/h



500-550-630-800 mm



4.5-7-10-12 mm

HEB

HFCs: R404A, R507A, R134a...
HFC/HFO: R448A, R449A, R452A, R513A...
HFO/HFC (A2L): 即将推出。
乙二醇: 可选。



R404A

50 Hz

0.50 ~ 11.04 kW

R449A

0.47 ~ 11.25 kW



600 ~ 5221 m³/h




250-300 mm



4-6-9-4.5-7-10 mm

HEC

HFCs: R404A, R507A, R134a...
HFC/HFO: R448A, R449A, R452A, R513A...
HFO/HFC (A2L): 即将推出。
乙二醇: 可选。



R404A

50 Hz

1.36 ~ 13.56 kW

R449A

1.35 ~ 14.13 kW



858 ~ 4561 m³/h



300 mm



4-6-9 mm

HEC PLUS

HFCs: R404A, R507A, R134a...
HFC/HFO: R448A, R449A, R452A, R513A...
HFO/HFC (A2L): 即将推出。
乙二醇: 可选。



R404A

50 Hz

1.21 ~ 77.02 kW

R449A

1.22 ~ 80.1 kW



738 ~ 36212 m³/h



250-350-400-450-500-630 mm



4-4.5-6-7-10 mm

HED

HFCs: R404A, R507A, R134a...
HFC/HFO: R448A, R449A, R452A, R513A...
HFO/HFC (A2L): 即将推出。
乙二醇: 可选。


HFC/HFO Evaporators

HFC/HFO 蒸发器

R404A Capacity
R449A 制冷量



Air flow
风量



Fan diameter
风机直径



Fin pitch
片距



R404A

50 Hz
2.68 ~ 158.32 kW

R449A

2.61 ~ 164.69 kW



2850 ~ 48054 m³/h



400-450-500-630-800 mm



4-6-9 mm

HED PLUS

HFCs: R404A, R507A, R134a...
HFC/HFO: R448A, R449A, R452A, R513A...
HFO/HFC (A2L): 即将推出。
乙二醇: 可选。



R404A

50 Hz
17.68 ~ 175.44 kW

R449A

16.24 ~ 176.99 kW



31050 ~ 113925 m³/h



630-800 mm



7-10-12 mm

HEF

HFCs: R404A, R507A, R134a...
HFC/HFO: R448A, R449A, R452A, R513A...
HFO/HFC (A2L): 即将推出。
乙二醇: 可选。



R404A

50 Hz
0.79 ~ 4.80 kW

R449A

0.82 ~ 4.85 kW



348 ~ 1391 m³/h



200 mm



3.2/6.4 mm

HEJ

HFCs: R404A, R507A, R134a...
HFC/HFO: R448A, R449A, R452A, R513A...
HFO/HFC (A2L): 即将推出。



R404A

50 Hz
0.59 ~ 3.59 kW

R449A

0.61 ~ 3.62 kW



498 ~ 1990 m³/h



250 mm



4.5/9 mm

HEJ PLUS

HFCs: R404A, R507A, R134a...
HFC/HFO: R448A, R449A, R452A, R513A...
HFO/HFC (A2L): 即将推出。



R404A

50 Hz
0.33 ~ 1.16 kW

R449A

0.30 ~ 1.17 kW



235 ~ 506 m³/h



120-150 mm



4.5 mm

HER

HFCs: R404A, R507A, R134a...
HFC/HFO: R448A, R449A, R452A, R513A...
HFO/HFC (A2L): 即将推出。

R404A Capacity
R449A 制冷量

 Air flow
风量

 Fan diameter
风机直径

 Fin pitch
片距



R404A

R449A



50 Hz

3.65 ~ 106.82 kW

3.25 ~ 110.75 kW

4397 ~ 56551 m³/h

350-400-450-500-630 mm

7 mm

HEB F

HFCs: R404A, R507A, R134a...

HFC/HFO: R448A, R449A, R452A,
R513A...

HFO/HFC (A2L): 即将推出。


乙二醇: 可选。

适用于蔬菜水果库, 配吹风风机。

R717 Capacity
R744 制冷量



Air flow
风量



Fan diameter
风机直径



Fin pitch
片距



R717



50 Hz

0.81 ~ 142.50 kW

739 ~ 60065 m³/h

250-300-350-400-450-500-550-630-800 mm

4-6-9 mm

HEA N

Ammonia
氨



R717



50 Hz

3.31 ~ 122.15 kW

6412 ~ 60925 m³/h

500-550-630-800 mm

4.5-7-10-12 mm

HEB N

Ammonia
氨



R717



50 Hz

3.25 ~ 61.32 kW

3172 ~ 30121 m³/h

400-450-500-630 mm

4-7-10 mm

HED N

Ammonia
氨



R717



50 Hz

2.57 ~ 178.14 kW

2853 ~ 48063 m³/h

400-450-500-630-800 mm

4-7-10 mm

HED PLUS N

Ammonia
氨



R717



50 Hz

18.77 ~ 195.4 kW

30967 ~ 113732 m³/h

630-800 mm

7-10-12 mm

HEF N

Ammonia
氨

R717 Capacity
R744 制冷量



Air flow
风量



Fan diameter
风机直径



Fin pitch
片距



R744



50 Hz

0.88 ~ 143.77 kW

730 ~ 59883 m³/h

250-300-350-400-450-500-550-630-800 mm

4-6-9 mm

HEA_{CO₂}

CO₂
CO₂


HFC/HFO Condensers & Gas coolers

HFC/HFO 冷凝器 & 气体冷却器

R404A Capacity
R449A 制冷量




Air flow
风量



Fan diameter
风机直径



Fin pitch
片距



R404A

50 Hz

0.57 ~ 64.40 kW

R449A

0.57 ~ 65.99 kW



264 ~ 22195 m³/h



200-250-300-350-400-450-500-630 mm



2.5-3.5 mm

HCAS

HFCs: R404A, R507A, R134a...

HFC/HFO: R448A, R449A, R452A, R513A...

HFO/HFC (A2L): 即将推出。



R404A

50 Hz

1.27 ~ 176.23 kW

R449A

1.28 ~ 178.15 kW



526 ~ 24308 m³/h



200-250-300-350-400-450-500-630-710 mm



2.54-2.83-3.17 mm

HCBS

HFCs: R404A, R507A, R134a...

HFC/HFO: R448A, R449A, R452A, R513A...

HFO/HFC (A2L): 即将推出。



R404A

50 Hz

67.59 ~ 588.52 kW

R449A

68.27 ~ 594.31 kW



23013 ~ 171419 m³/h



630-800 mm



2.1 mm

HCH

HFCs: R404A, R507A, R134a...

HFC/HFO: R448A, R449A, R452A, R513A...

HFO/HFC (A2L): 即将推出。

乙二醇: 可选。



R404A

50 Hz

51.32 ~ 449.21 kW

R449A

51.71 ~ 453.61 kW



14168 ~ 119730 m³/h



500-630-800 mm



2.1 mm

HCV

HFCs: R404A, R507A, R134a...

HFC/HFO: R448A, R449A, R452A, R513A...

HFO/HFC (A2L): 即将推出。

乙二醇: 可选。



R744

50 Hz

2.78 ~ 142.38 kW



800 ~ 24000 m³/h



200-250-300-350-400-450-500-630-710 mm



2.54-2.83-3.17 mm

HCBS_{CO2}

CO₂

CO₂

R404A Capacity
R449A 制冷量



Air flow
风量



Fan diameter
风机直径



Fin pitch
片距



R404A

R449A



50 Hz

0.37 ~ 27.72 kW

0.35 ~ 27.59 kW

2307 ~ 13996 m³/h

400-450-500 mm

2.12 mm

HUA

HFCs: R404A, R507A, R134a...
HFC/HFO: R448A, R449A, R452A, R513A...
HFO/HFC (A2L): 即将推出。



R404A

R449A



50 Hz

3.38 ~ 90.86 kW

2.83 ~ 91.36 kW

7825 ~ 33253 m³/h

450-500-630 mm

2.5 mm

HUB

HFCs: R404A, R507A, R134a...
HFC/HFO: R448A, R449A, R452A, R513A...
HFO/HFC (A2L): 即将推出。



R404A

R449A



50 Hz

0.18 ~ 28.4 kW

0.19 ~ 26.98 kW

2048 ~ 15308 m³/h

350-400-450-500 mm

2.12 mm

HUC

HFCs: R404A, R507A, R134a...
HFC/HFO: R448A, R449A, R452A, R513A...
HFO/HFC (A2L): 即将推出。



R404A

R449A



50 Hz

2.35 ~ 39.44 kW

1.89 ~ 40.46 kW

8100 ~ 17221 m³/h

450-500 mm

2.12 mm

HUC PLUS

HFCs: R404A, R507A, R134a...
HFC/HFO: R448A, R449A, R452A, R513A...
HFO/HFC (A2L): 即将推出。



R404A

R449A



50 Hz

9.20 ~ 145.49 kW

7.74 ~ 149.38 kW

17075 ~ 60087 m³/h

630-800 mm

2.12 mm

HUC PLUS T

HFCs: R404A, R507A, R134a...
HFC/HFO: R448A, R449A, R452A, R513A...
HFO/HFC (A2L): 即将推出。

HFC/HFO Condenser units & Monoblocks

HFC/HFO 冷凝机组&一体机

R404A Capacity
R449A 制冷量

 Air flow
风量

 Fan diameter
风机直径

 Fin pitch
片距



R404A

50 Hz
0.37 ~ 19.60 kW

R449A

0.35 ~ 17.51 kW



526 ~ 29761 m³/h



250-300-350-400-450-500-630 mm



2.83-3.17 mm

HUC-0

HFCs: R404A, R507A, R134a...
HFC/HFO: R448A, R449A, R452A,
R513A...
HFO/HFC (A2L): 即将推出。



R404A

50 Hz
0.34 ~ 5.51 kW

R448A

0.33 ~ 5.23 kW



370 ~ 3548 m³/h



250-300-350-400 mm




2.12-4.5 mm

HUM

HFCs: R404A, ...
HFC/HFO: R448A ...

R404A Capacity
R449A 制冷量



Different kinds of coils are available according to customers' requirements.
可根据客户需求订制各种内芯。





工厂（中国）：

泰州伊士班尼亚制冷设备有限公司

地址：江苏省泰州经济开发区高新技术园标准厂房B区10号

电话：0523-80805003

手机：139-5117-1078; 158-9640-0800; 136-2517-8025; 13222488188

传真：0523-80805666

邮箱：taz39528116@126.com; tzlzw2018@sina.com;

625293588@qq.com; 1367297073@qq.com

网址：<http://www.hispaniacorp.com.cn>;

<http://www.hispaniacorp.com>